

2	PCBA	1	
1	LCM	1	
序号	型号/规格	数量	备注
00	初版	SZX	241207
标识	更改内容	签署	日期

LCM



上海冠显光电科技有限公司
Shanghai Top Display Optoelectronics Co.Ltd

Design (设计)

邵子鑫

Checked (检查)

TBD

Approved (批准)

TBD

TD0's Code (冠显料号)

Customer's Code (客户型号)

TS028FWV02NP-I1440A

Edition (版本号)

00

Scale (比例)

1:1

View (视角):

Unit (单位): mm

Page (页数): 3/3

Date (日期)

2024-12-07

Customer Approved By (客户承认):

Date (日期):

FPC 0.5-20P

1	GND
2	VCC
3	GND
4	CS#
5	GND
6	SD01
7	SD00
8	SCL
9	SD03
10	SD02
11	RESET#
12	WAIT#
13	QSPI-INT
14	D/C#
15	TP-INT
16	TP-SDA
17	TP-SCL
18	TP-RST
19	TP-VCC
20	TP-GND




PinHeader

1	VCC
2	GND
3	GND
4	CS#
5	GND
6	SD01
7	SD00
8	SCL
9	SD03
10	SD02
11	RESET#
12	WAIT#
13	QSPI-INT
14	D/C#

FRONT VIEW

SIDE VIEW

BACK VIEW



PCB&PCBA Requirements:

- Reference Dimensions: (DIM)
- Key Dimensions: (DIM)
- General Tolerance: $\pm 0.30\text{mm}$
- All radii without dimension: R0.5mm
- Color: Green
- Layer Count: 2 layers
- QSPI Series
- Operating Temperature: $-20^{\circ}\text{C} \sim +70^{\circ}\text{C}$
- Storage Temperature: $-30^{\circ}\text{C} \sim +80^{\circ}\text{C}$
- Requirements on Environmental Protection: RoHS HSF

PART NO.

PCBA